

Alston & Bird LLP

Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
(704) 444-1000
Fax (704) 444-1111

July 10, 2008

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: U.S. Patent for *Paving-Related Measuring Device
Incorporating a Computer Device and Communication
Element Therebetween and Associated Method*
Appl. No. 10/817,169; Filed April 2, 2004
Patent No. 7,376,530B2; Issued May 20, 2008
Our File 031850/272210

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction e-filed herewith.

Respectfully submitted,

/scott c. mayhew/

Scott C. Mayhew
Registration No. 58,339

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,376,530B2
APPLICATION NO. : 10/817,169
ISSUE DATE : May 20, 2008
INVENTOR(S) : Bienvenu *et. al*

Page 1 of 1

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 11:

Line 64: "hand-portable a measuring" should read --hand-portable measuring--

Column 14:

Line 16: "ortalrin" should read --portable measuring--

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000